

(Dermatology)

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ
نَبِيِّنَا مُحَمَّدٍ وَآلِهِ وَسَلَّمَ

(وَنَزَّلَ مِنَ الْفَرْqَانِ مَا فَوْتَهُ دُرْجَةٌ لِلْمُؤْمِنِينَ وَلِلَّذِينَ دَرَأَ الظَّالَمُونَ لِلْأَخْسَارِ)

الحمد لله رب العالمين

LECTURE : 8TH

DR. ABDULAH SALIH AL-HASAN

GENODERMATOSIS

Genetic diseases of the skin

•The main classification of genodermatoses :-

1-Disorders of keratinization which includes :-

*Icthyosis.

*Hyperkeratosis of palms & soles.

*Darier disease

*Keratosis pilaris.

2-Neuro cutaneous syndrome which include :-

*Neuro fibromatosis.

*Tuberous sclerosis.

3-Xeroderma pigmentosa.

4-Congenital ectodermal disorder.

5-Epidermolysis bullosa.

6-Disorders of collagen & elastic fibers which include :-

*Pseudo Xanthoma elasticum.

*EhlerDanlos syndrome.

(I- Disorders of keratinization)

A-Icthyosis

Clinical variaties

1-Icthyosis vulgaris :-

***Histopathology**

2-Sex – linked Icthyosis.

3-Non – Bollous Icthyosiform Erythroderma.

4-Bullous Icthyseform Erythroderma

● Differential diagnosis of Ichthyosis

1-Hypothyroidism

2-Malignancy

3-Malnutrition

4-Liver diseases

5-Leprosy

6-Severe atopic dermatitis.

7-Drugs

8-Sarcoidosis

- *Diagnosis
- *Treatment of Ichthyosis.
- *Keratosis Pilaris.
- *Hyperkeratosis of palms & soles
- *The main differential diagnosis.
- *Treatment

Darier disease

Aetiology

Diagnosis

Treatment.

***NeuroCutaneous Syndrom**

***(Von Reckling Hausen's diseas)**

- The cardinal features

- 1-Skin tumor

- 2-Cafe au lait spote

- 3-Frickling

- 4-Neurological

- Eye involvement

- Kyphoscoliosis

- Endocrinological

- GIT Feature

*Diagnosis

*Treatment

***Tuberous sclerosis (Epiloia)**

*Cardinal features on skin include :-

1-Adenoma sebaceum

2-Shagreen patch

3- Periungual fibroma

•Epilepsy

•Retinal tumor

•Cerebral or central calcification

•Cardiac tumor

•Lung tumor

•Bone cyst & sclerosis

Xeroderma Pigmentosa

Diagnosis

Treatment

Epidermolysis Bullosa

The main clinical types



































b



